

Emanuela Molinaro, Marisol Occioni, Barbara Monticini

La biblioteca federata

Attivazione e configurazione delle risorse elettroniche federate: i casi IDEM, ACS, Kikuzo, Wiley, De Gruyter, Proquest, Elsevier.



Roma, IDEM DAY 2018, ISTAT 7 maggio 2018

A chi giro questa mail?

Mail dell'IT di Ateneo



... non ricordo mai se queste segnalazioni devo girarle a te o no.

----- Messaggio originale -----

Oggetto: [RTM-IDEM] 20 Nuove Risorse della Federazione IDEM dell'editore HighWire Press Stanford University

Data: Thu, 19 Apr 2012 14:59:32 +0200

Rispondi-a: idem-help@garr.it

A: rom-idem@garr.it

CC: rtm-idem@garr.it, ctm-idem@garr.it, idem-staff@garr.it

Gentili Colleghi, vi segnalo che sono entrate a fare parte della Federazione IDEM le seguenti risorse elettroniche dell'editore HighWire Press Stanford University:

The Company of Biologists journals

Lyell Collection

Oxford Journals

Oxford Textbook of Medicine

The Royal Society of Medicine Press Journals

Oxford University Press Journals

Royal Society Publishing

SAGE Journals Online

E' possibile consultare i relativi articoli full text tramite autenticazione federata, nel caso la vostra organizzazione abbia sottoscritto un contratto con l'editore. In caso affermativo chiederemo l'attivazione del vostro Identity Provider sul Discovery Service dell'editore.

Caso 2: ACS



JUST DO IT.



Mi attivo in autonomia seguendo il Wiki



Consultando il [Wiki](#) con le istruzioni su come configurare le ER per [ACS](#):

ACS - American Chemical Society

L'organizzazione deve procedere autonomamente seguendo le istruzioni:

Member institutions can add their entity IDs using the librarian tools on our web site. Our help desk can assist with the process.

- * Log on to the site as an institution administrator
- * Click on the Your Profile button at the top
- * Click on Librarian Administration Site in the center of the page (or access that page with <http://pubs.acs.org/action/institution>)
- * Click on the Access Rights button in the middle of the page
- * Ensure that the correct institution is selected in the drop-down labeled View Account
- * Provide the IdP Entity ID in the box labeled Identity Provider URL
- * Leave the box labeled Organization/Unit ID blank
- * Click on the Submit button

The IdP Entity ID provided needs to match an entry in the federations metadata file.



Access Rights

View Account: CA' FOSCARI UNIV OF VENICE (2315304) ▾

IP Ranges

The IP Address of your current connection is 157.138.65.150

Description	IP range
157.138.1.0-157.138.199.255	157.138.1.0-157.138.199.255

Please remember: Only the sites covered by the agreement are authorized to access this online subscription.
E-mail me my IP addresses for my records.

Shibboleth Configuration

Identity Provider URL

Organization/Unit ID (optional)

Submit

Caso 3: Kikuzo II Visual



Peccato! Sarà per un'altra volta!

Kikuzo non prevede il SSO



"Log in via institution" to KIKUZO II VISUAL

Posta in arrivo x

IDEM-GARR x



Risorse Elettroniche Ateneo <sfx@unive.it> (inviato da emolin@unive.it)

24 gen ☆

Dear Mr.

our university has subscribed Kikuzo II Visual and we are wondering if it is possible for our users to have access off campus also by Shibboleth authentication.

We are members of [IDEM-Garr](#) which is Italian federation for identity management services and which is a partner of EduGain.

Does your database allows "login via Institution"? If not are you planning to implement this feature?

Thank you and best regards,

Emanuela Molinaro

...



@kinokuniya.co.uk>

24 gen ☆

a me, Marisol



inglese



italiano

[Traduci messaggio](#)

[Disattiva pe](#)

Dear Ms Molinaro,

Thank you for your enquiry.

I am afraid that it is not possible to access Kikuzo II by Shibboleth authentication.

I know some customers are using EZproxy for the off-campus access. Are you able to use EZproxy? I would be grateful if you could check this.

EZproxy: <https://www.oclc.org/en/ezproxy.html>

I look forward to hearing from you.

Yours sincerely,

General Manager/Director of Business Development
Kinokuniya Publications Service of London Co. Ltd.

Un esempio di collaborazione riuscita

Wiley e i settaggi



Mail di Wiley, successive a **mail** della Biblioteca Digitale di UniVE.

Prima mail: Wiley ha un accordo per l'accesso via Shibboleth, ma per quanto riguarda l'Italia è ancora in via di definizione tecnica, stanno completando la fase di testing. Ho sollecitato e attendo una data di attivazione.



Seconda mail, un anno dopo: in allegato il modulo da compilare per l'accesso a Shibboleth.

Una volta restituito faremo i necessari settaggi.



Institution name:

Institution contact
Name:
Phone:
Email:

Institution technical contact
Name:
Phone:
Email:

Access Federation name:

*Wiley Online Library requires the following attribute: **eduPersonScopedAffiliation***

Institution's Entity ID:

Institution's Scope:

Institution's IDP software and version (Shibboleth 2.x, Open Athens, etc.):



Terza mail: I just noticed that the institution's scope looks a bit different as it's supposed to be. This normally comes in the form **member@, staff@, alumni@, etc.**

What do you think?

Mail IT UniVE: In effetti ti avevo dato il valore di un altro campo.

Nel nostro caso i valori validi per l'attributo eduPersonScopedAffiliation sono:

student@unive.it, member@unive.it, staff@unive.it, alum@unive.it

Non solo EduGain!

DE GRUYTER e IDEM



Servizio IDEM

Biblioteca

Editore

Scopre che per alcune Federazioni è già disponibile l'accesso federato ad una risorsa di proprio interesse

Con l'editore De Gruyter abbiamo sfruttato un contatto che avevamo per approfondire la questione dell'accesso SSO disponibile per altre federazioni, ma non per l'Italia. L'editore ci ha offerto di fare da **test** per l'implementazione:

"De Gruyter's online platform currently supports authentication via Shibboleth for members of the federations in the UK, Germany, Switzerland and Spain.

We have now learned, that through the global EduGain cooperation (

<http://www.geant.net/service/edugain/pages/home.aspx>), we do not have to join any further individual Shibboleth federations for providing access via the Shibboleth protocol to members from other countries. Instead, if a national federation is a member of EduGain, we can authenticate all members from this federation on our platform (...)

We're currently trying to assess the technical work needed to achieve this, and we would have to test this with some customers. I know that the Italian Federation is a member of EduGain, and I assume that the University of Venice is probably a member in this federation. Therefore I would like to ask you if your institution is interested in testing access to the De Gruyter Online platform via Shibboleth through EduGain with us."

In order to do so, we would need to know your institution's entity ID, and we have to be sure that you will be releasing the correct attributes to access our platform. We require eduPersonEntitlement with the value common-lib-terms. We also need your IdP to accept requests from our SP (entity ID: <https://www.degruyter.com/shibboleth>). Ideally we would also like to receive credentials from a test account from you, so that we can test access ourselves directly, and to be able to trace access attempts in our logs. This test account can be deactivated again once the tests are over and we have verified that access works.

I'd be very grateful if you would agree to participate in this test for us. It really is no work for your, you basically just have to provide us with the details mentioned above. But it would help us immensely to verify the technical work we need to do to support this new way of access via EduGain, and to thus offer Shibboleth access to De Gruyter Online to a wider audience than it is currently possible.

Una volta fornite le credenziali per il test (*temporary access credentials to your IdP*), la sperimentazione però non porta a risultati positivi. L'editore ci chiede altri dati e informazioni che verranno fornite dai nostri informatici:

I am not sure if something has to be done at the IdP side (your end) to allow De Gruyter as an SP for you (entity ID <https://www.degruyter.com/shibboleth>)? If yes, can you confirm that this has been done?

Also: we're requesting IdPs to send the Attribute eduPersonEntitlement with the value common-lib-terms. Can you please confirm that this is set up in your IdP for the De Gruyter SP? Or if you use other entitlements such as eduPersonScopedAffiliation, which values we will have to expect?

Segue uno scambio di mail tra l'IT e De Gruyter, con la biblioteca in cc.

"I have added the value "common-lib-terms" to the Attribute eduPersonEntitlement (this is a multivalue attribute and contains other values than yours) .Our idp is configured to accept EduGain organization (EduGain metadata) The url of our idp is: <https://idp.unive.it/idp/shibboleth>. Can you give me a url to test the access to yours resources"

L'editore: "Your IdP is set up on our end as well.

Our WAYF page is here: <https://www.degruyter.com/applib/openathens>

There you can select your institution and will get forwarded to your site for the login.

When you get back to [degruyter.com](http://www.degruyter.com) you will be on the homepage again. If the login was successful then you see a note with your institution name in the footer of the homepage where it says "Access brought to you by:"

Alternatively you can access a content item to which your institution has access, eg

<http://www.degruyter.com/view/j/pac.2015.87.issue-5/pac-2014-1202/pac-2014-1202.xml> or

<http://www.degruyter.com/view/j/ling.2015.53.issue-2/ling-2015-0005/ling-2015-0005.xml>

There you will see the "Access brought to you by" information with your institution name in the upper right hand side corner, in a white box.

Ci siamo! La biblioteca effettua le verifiche finali da fuori rete di Ateneo e aggiorna le informazioni sull'accessibilità alle banche dati De Gruyter.

Lo stesso editore, ma prodotti
diversi

Caso 6: il caso Proquest



La biblioteca accerta che i prodotti Proquest sono accessibili via SSO, con l'eccezione della piattaforma di ebook EBRARY. Contatta direttamente l'editore. Ne segue un carteggio.

PROQUEST: “siamo già Shibboleth compliant, proprio via IDEM GARR per i prodotti Proquest e forse anche per RefWorks, ma per gli ebooks (Ebrary) abbiamo presentato l'applicazione e dovrebbe essere nella pipeline, ma non sappiamo ancora quanto tempo ci vorrà.”

PROQUEST, dopo 6 mesi : “Le scrivo per un paio di aggiornamenti: 1 – Shibboleth test – lo hanno testato con Ebook Central e sembra che funzioni bene, quindi per quello siamo a cavallo.
2- Il Product Manager ed altri miei colleghi la ringraziano per la vostra disponibilità al test.”

Caso 7: Elsevier e l'accesso SSO a Scopus



Scopus

Login via your Institution

You may be able to login to Scopus using your institutions login credentials. [Learn more](#)
We will remember your login preference the next time you access Scopus from this computer.



OpenAthens login

Search for your institution and click the name to login.

Or choose your institution's region or group and click the name from the results below to login.

Select your region or group

Elsevier è un [partner di IDEM](#).

Se le risorse sono su piattaforme diverse può capitare che l'accesso SSO funzioni per un prodotto, ma non per un altro: come nel caso di Scopus ...

Cosa succedeva? Nel corso di una delle **verifiche periodiche** effettuate dalla Biblioteca Digitale da fuori rete di Ateneo, nonostante il “[Login via your Institution](#)” portasse alla nostra pagina di autenticazione via Shibboleth.....

← → ↻ https://www.scopus.com/customer/authenticate.uri?auth_type=SHIBBOLETH

App SebinaCamp home: SBA - Sistema Banche dati: SBA - Sis static.unive.it/tables/ MetaLib Management informatico - Dizionar NQcontentV2 Login S SFX Adr

Scopus Search Sources Alerts

Login

⚠ The institution associated with your credentials could not be found. Please contact your institution's librarian or information specialist for assistance.
(*required fields)

<p>Login using your Elsevier credentials</p> <p>Username: <input type="text"/></p> <p>Password: <input type="password"/></p> <p><input checked="" type="checkbox"/> Remember me</p> <p><input type="button" value="Login"/> <input type="button" value="Cancel"/></p> <p>Forgotten your username or password?</p>	<p>OpenAthens login</p> <p>Login via your institution</p> <p>Ca' Foscari University of Venice</p> <p>Università Ca Foscari di Venezia</p> <p>Other Institution Login</p> <p>Apply for Remote Access</p>	<p>Learn more about Scopus:</p> <p>About us</p> <p>Scopus News</p> <p>What does it cover?</p> <p>Scopus Tools</p> <p>Scopus Integration Program</p> <p>Interested in Scopus? Please contact us for more information.</p>
---	---	--

... una volta autenticati compare un messaggio di errore ... Si apre un ticket

ELSEVIER: "This field actually is a different login, this field can only be filled if you are logging in to your account directly and not through "shibboleth". May I request for a test credential to check if I will be able to replicate the issue?"

La biblioteca fornisce le credenziali

ELSEVIER: "We investigated your issue and found the following step needs to be taken. The person responsible in your organisation for configuring the Shibboleth access needs to ensure that they release entitlement attribute "urn:mace:dir:entitlement:common-lib-terms", which seems to be missing. It needs to be filled with userdata. This information is coming from your federation. But we cannot know this as this is different per federation."

Il nostro servizio IT: “Abbiamo provveduto ad attivare il rilascio anche dell'attributo urn:mace:dir:entitlement:common-lib-terms.

Fino ad ora noi rilasciavamo solo l'attributo common-lib-terms, hanno cambiato qualcosa loro? Comunque chiedigli se possono riprovare o se puoi provare ad accedere tu alla Risorsa.”

ELSEVIER: “Thank you for informing me about the progress. I am sorry to hear that it didn't work. To investigate this issue further we need the log of the SAML authentication responds which should not be encrypted. Can you request this information and send this to me?”

La biblioteca: “We verified from home and now the Scopus access via Shibboleth is working correctly. It seems that the problem has been resolved. Thank you very much for your patient assistance!”